

KEYANG



KEYANG
CATALOGUE 2023

KEYANG POWER TOOLS



CONTENTS

04	KEY FEATURES AND THEIR SYMBOLS	29	FAN, VACUUM CLEANER
06	(HAMMER) DRILL DRIVERS	30	TOOL CASES
09	IMPACT TOOLS	32	TOOL BAGS
12	GRINDERS	34	BATTERIES & CHARGERS
18	(ROTARY) HAMMERS	36	OUR STORY
24	SAWS		
28	LASER, WORKLIGHT		

Key features and their symbols



EXAMPLE
SET € __, __
EXAMPLE-BASE
BASE € __, __
EXAMPLE-BODY
BODY € __, __

Product code
Tool, charger, batteries, case
Product code
Tool, case
Product code
Tool only



High Performance Series

These machines use next generation high output brushless motors. The High Performance badge is reserved for the best machines Keyang offers.




Auto Stop Control (S) - Drivers

ASC-functionality (Auto Stop Control) halts operation after one second of the first impact to prevent damage to the workpiece. Drill-mode prevents the machine from delivering impacts, allowing you to make use of the high speed when using bit-type drills.



Auto Stop Control (S) - Wrenches

ASC-function (Auto Stop Control) halts operation when the nut or bolt is loosened, so that it remains inside the socket for easy extraction. This feature becomes particularly helpful when working on elevated surfaces.



DRILL DRIVER 10,8V

Type DD1202L2
Power 10,8 V
Battery 2.0 Ah Lithium-Ion (2x)
Speed 0-350 / 0-1300 Rpm
Torque 30 Nm
Chuck 10 mm keyless chuck
Weight 1.0 kg



SET DD1202L2
BODY DD1202L2-BODY



HAMMER DRILL DRIVER 18V

Type DM18BLW
Power 18 V
Battery 2.0 Ah Lithium-Ion (2x)
Speed 0-500 / 0-1800 Rpm
Torque 55 Nm
Chuck 13 mm keyless chuck
Weight 1.5 kg



SET DM18BLW



HAMMER DRILL DRIVER 18V

Type DM18BL
Power 18 V
Battery 5.0 Ah Lithium-Ion (2x)
Speed 0-550 / 0-2000 Rpm
Torque 60 Nm
Chuck 13 mm steel keyless chuck
Weight 1.9 kg



SET DM18BL



(HAMMER) DRILL DRIVER 18V

Type DD20BLA-70C / DM20BLA-70C
Power 18 V
Battery 5.0 Ah Lithium-Ion (2x)
Speed 0-550 / 0-2000 Rpm
Torque 70 Nm
Chuck 13 mm steel keyless chuck
Weight 2.1 kg



SET DD20BLA-70C
BODY DD20BLA70C-BODY

SET DM20BLA-70C (hammer)
BODY DM20BLA70C-BODY (hammer)



(HAMMER) DRILL DRIVER 18V

Type DD20BLH-100E / DM20BLH-100E
Power 18 V
Battery 5.0 Ah Lithium-Ion (2x)
Speed 0-550 / 0-2100 Rpm
Torque 100 Nm
Chuck 13 mm steel keyless chuck
Weight 2.4 kg



SET DD20BLH-100E
BODY DD20BLH-100E-BODY

SET DM20BLH-100E (hammer)
BODY DM20BLH-100E-BODY (hammer)



18% MORE TORQUE

AUTOFEED SCREW GUN

Type	SD20BL
Power	18 V
Battery	2.0 Ah Lithium-Ion (2x)
Speed	0-5000 Rpm
Weight	1.5 kg
Bit length	130 mm PH2 (2x)
Screw diameter	3 ~ 4.5 mm
Screw length	20-57 mm



SET SD20BL
BASE* SD20BL-BASE



IMPACT DRIVER 10,8V

Type	DID1202L
Power	10,8 V
Battery	2.0 Ah Lithium-Ion (2x)
Speed	0-2400 Rpm
Impact rate	0-2700 /min
Torque	100 Nm
Chuck	1/4" Hex. (Standard bit)
Weight	0,9 kg



SET DID1202L
BODY DID1202L-BODY
COMBO COMBOKEY108V-1



COMBO SET 1 CASE, 2 TOOLS, 3 BATTERIES

DD1202L2 + DID1202L



* **i**
"BASE" refers to the bare tool machine without accessories, but does include the complete autofeeder and tool case.



AUTOFEED SCREW GUN

Type	ASD1800L
Power	18 V
Battery	2.0 Ah Lithium-Ion (2x)
Speed	0-5000 Rpm
Weight	1.5 kg
Bit length	130 mm PH2 (2x)
Screw diameter	3 ~ 4.5 mm
Screw length	20-57 mm



SET ASD1800L
BASE* ASD1800L-BASE



IMPACT WRENCH

Type	IW20BL1000
Power	18 V
Battery	5.0 Ah Lithium-Ion (2x)
Speed	0-1900 Rpm
Torque	1000 Nm
Chuck	1/2" Square
Weight	2.9 Kg



SET IW20BL1000
BODY IW20BL1000-BODY



← ULTRA COMPACT →

EXTREME POWER

TOP SPEED



	Driver / Wrench	Wrench	Driver
Type	DW18BLA	IW18BLA	ID18BLA
Power	18 V		
Battery	5.0 Ah Lithium-Ion (2x)		
Speed	0-1100 / 2600 / 3200	0-1300 / 2200 / 2600	0-1100 / 2600 / 3200
Torque	210 Nm	280 Nm	210 Nm
Chuck	1/4" hex. / 1/2" square	1/2" square	1/4" hex.
Weight	1,65 kg	1,65 kg	1,60 kg

BL-A-Series

SET DW18BLA IW18BLA ID18BLA
 BODY DW18BLA-BODY IW18BLA-BODY ID18BLA-BODY

	Driver / Wrench	Wrench	Driver
Type	DW20BLH315	IW20BLH315	ID20BLH230
Power	18 V		
Battery	5.0 Ah Lithium-Ion (2x)		
Speed	0-1100 / 2200 / 2800	0-1100 / 2200 / 2800	0-1100 / 2600 / 3400
Torque	315 Nm	315 Nm	230 Nm
Chuck	1/4" hex. / 1/2" square	1/2" square	1/4" hex.
Weight	1,70 kg	1,60 kg	1,60 kg

High Performance Series

SET DW20BLH315 IW20BLH315 ID20BLH230
 BODY DW20BLH315-BODY IW20BLH315-BODY ID20BLH230-BODY



Lock-on Switch
More convenience



DG20BLH-125SV

DG20BLH-125PV

Paddle Switch
Increased safety



DG18BL125S

	Angle grinder DG18BL125S	Angle grinder DG20BLH-125SV	Angle grinder DG20BLH-125PV
Type	Angle grinder	Angle grinder	Angle grinder
Power		18 V	
Disc size		125 mm	
Speed	8500 Rpm	4500 / 7500 / 9000 rpm	
Weight	2.4 kg	2.3 kg	2.3 kg
Recommended use		 	
Features	 	 	
		NJ SERIES HIGH PERFORMANCE	NJ SERIES HIGH PERFORMANCE
SET	DG18BL125S	DG20BLH-125SV	DG20BLH-125PV
BODY	DG18BL125S-BODY	DG20BLH-125SV-B	DG20BLH-125PV-B



DG125-750SC



DG852



DG1102C



DG125-15S



DG125-15SV

KDH125
DUST EXTRACTION HOOD
For use with cup wheels on 125mm grinders.



KDH125A
DUST EXTRACTION HOOD
For use with cup wheels on 125mm grinders.
Retractable part to allow grinding up to walls.




	Angle grinder	Angle grinder	Angle grinder	Angle grinder	Angle grinder
Type	DG125A-750SC	DG852	DG1102C	DG125-15S	DG125-15SV
Power	750 W	850 W	1100 W	1500 W	1500 W
Disc size	125 mm				
Speed	12000 Rpm	11000 Rpm	11500	11500	2800 - 11500
Weight	1.5 kg	1.6 kg	1.6 kg	2.4 kg	2.4 kg
Recommended use					
Features					
	DG125A-750SC	DG852	DG1102C	DG125-15S	DG125-15SV
	€ 45,00	€ 59,00	€ 75,00	€ 135,00	€ 145,00



TUBE BELT SANDER

Type TBS1500V
 Power 1500 W
 Belt length 820 mm max.
 Belt width 40 mm
 Weight 3.7 Kg



	Angle grinder	Angle grinder
Type	DG230-22	DG924AVT
Power	2200 W	2400 W
Disc size	230 mm	
Speed	6500 Rpm	
Weight	5.5 kg	6.3 kg
Recommended use		
Features		

POLISHER

Type DP7000V
 Power 1200 W
 Pad size 180 mm
 Speed 800 - 2400 Rpm
 Weight 3.2 kg




CHOP SAW

Type HC14K
 Power 2300 W
 Disc size 350 mm / 25.4mm
 Speed 3900 Rpm
 Weight 16.3 kg
 Cutting capacity
 ● 58 mm
 ○ 110 mm
 □ 110 x 130 mm



BURNISHER

Type SM7000V
 Power 1200 W
 Wheel size 100 x 100 mm
 Speed 800 - 2400 Rpm
 Weight 3.3 kg





	Rotary hammer HD18BL	Rotary hammer HD20BLH-24T	Rotary hammer HD20BLH-26V
Type	HD18BL	HD20BLH-24T	HD20BLH-26V
Power		18 V	
Battery		5.0 Ah Lithium-Ion (2x)	
Speed		0 - 1200 Rpm	0 - 500 / 630 / 900 Rpm
Impact force	2.0 J	2.1 J	2.5 J
Tool type		SDS PLUS	
Maximum capacity	20 mm	24 mm	26 mm
Weight	3.0 kg	2.9 kg	3.3 kg
Features			
SET	HD18BL	HD20BLH-24T	HD20BLH-26V
BODY	HD18BL-BODY	HD20BLH-24T-BODY	HD20BLH-26V-BODY





HD26-2T



HD26-800T



PHD283B

**EXTREME POWER
UNMATCHED DURABILITY**

	Rotary hammer	Rotary hammer	Rotary hammer
	HD26-2T	HD26-800T	PHD283B
Type	HD26-2T	HD26-800T	PHD283B
Power	850 W	800 W	800 W
Speed	0 - 1200 Rpm		0 - 500 / 630 / 900 Rpm
Impact force	2.0 J	2.1 J	2.5 J
Tool type	SDS PLUS		
Maximum capacity	26 mm	26 mm	28 mm
Weight	3.0 kg	2.9 kg	3.3 kg
Features			



ROTARY HAMMER

Type HD42-7DM
 Power 1350 W
 Impact force 13 J
 Impact rate 1020 - 3000 /min
 Speed 150 - 520 Rpm
 Chuck SDS MAX
 Weight 7,5 kg



DEMOLITION HAMMER

Type DH15-17AV
 Power 1700 W
 Impact force 45 J
 Impact rate 0 - 1500 /min
 Chuck Hex. shank
 Weight 14,0 kg



DEMOLITION HAMMER

Type KH5000M
 Power 1050 W
 Impact force 7,5 J
 Impact rate 0 - 1250 /min
 Chuck SDS MAX
 Weight 5,0 kg



	Impact Drill	
Type	DMV13K	DMV16K
Power	650 W	720 W
Speed	0 - 2800 rpm	0 - 3000 rpm
Impact rate	0 - 44800 rpm	0 - 44800 rpm
Chuck	13 mm steel keyless chuck	
Weight	1,6 kg	1,6 kg
Features		



RECIPROCATING SAW

Type RS18LO
 Power 18 V
 Battery 5.0 Ah Lithium-Ion (2x)
 Speed 0 - 3400 Rpm
 Stroke length 19 mm
 Weight 2.5 kg



SET RS18LO
 BODY RS18LO-BODY



JIG SAW

Type JS135-750V
 Power 750 W
 Speed 650 - 2800 Rpm
 Stroke length 26 mm
 Cutting capacity Wood 135mm
 Aluminium 25mm
 Steel 10mm
 Weight 3.2 kg



RECIPROCATING SAW

Type RS20BLH-30V
 Power 18 V
 Battery 5.0 Ah Lithium-Ion (2x)
 Speed 0 - 2300 / 3400 Rpm
 Stroke length 30 mm
 Weight 3.8 kg



SET RS20BLH-30V
 BODY RS20BLH-30V-BOD



JIG SAW



Type JS20BLH135V
 Power 18 V
 Battery 5.0 Ah Lithium-Ion (2x)
 Speed 0-2300 / 3000 Rpm
 Stroke length 26 mm
 Cutting capacity Wood 135mm
 Aluminium 25mm
 Steel 10mm
 Weight 2.8 kg



SET JS20BLH135V
 BODY JS20BLH135V-BODY



RECIPROCATING SAW

Type RS1300
 Power 1300 W
 Speed 0 - 3000 Rpm
 Stroke length 30 mm
 Weight 3.7 kg




MULTICUTTER

Type MC18BL20
 Power 18 V
 Battery 2.0 Ah Lithium-Ion (2x)
 Oscillation speed 0 - 19500 Rpm
 Oscillation angle 3.2° (Left/Right 1.6°)
 Weight 1.5 kg



SET MC18BL20
 BODY MC18BL20-BODY

STARLOCK STARLOCK PLUS





CIRCULAR SAW

Type	CS-7CB	
Power	1100 W	
Speed	5500 Rpm	
Saw blade	190 mm	
Arbor	20 mm	
Depth of cut	67 mm	
Weight	3.0 kg	



CIRCULAR SAW

Type	CS20BLH-165	
Power	18 V	
Battery	5.0 Ah Lithium-Ion (2x)	
Speed	5300 Rpm	
Saw blade	165 mm	
Arbor	20 mm	
Depth of cut	57 mm	
Weight	3.8 kg	

SET CS20BLH-165
BODY CS20BLH165-BODY



CIRCULAR SAW

Type	CS235-20B	
Power	2000 W	
Speed	5500 Rpm	
Saw blade	235 mm	
Arbor	25.4 & 30 mm	
Depth of cut	85 mm	
Weight	7.0 kg	



CROSS LINE LASER LEVEL

Type	KL360GL
Power	18 V
Battery	2.0 Ah Lithium-Ion (2x)
Laser Type	2 - Green
Diode	510 - 530 nm <50mW
Levelling accuracy	± 0.3 mm/m
Self levelling range	± 4°
Working range	30m / 100m (with receiver)
Protection class	IP54
Weight	0.8 kg

SET KL360GL
BODY KL360GL-BODY



CORDLESS FAN

Type	CF20L-255
Power	18 V
Fan size	10"
Max wind speed	10.3 m/s
USB A charging port	2x 5V / 1A
Weight	3.1 kg



FEATURES
2 USB
CHARGING
PORTS



9820014

WORK LIGHT

Type	WL20L-2400
Power	18 V / 230 V
Brightness	1200 / 2400 lumen
Adjustable angle	360°
Weight	1.1 kg



For use with included power cord or Keyang 18V batteries.
5/8" tripod mounting point.



VACUUM CLEANER

Type	DC20BL-BODY
Power	18 V
Suction power	348 AW / 12/20 kPa
Tank capacity	7.8 L
Hose length	1.6 M
Modes	Dry / Wet
Weight	3.4 kg



WITH
BLOWER
FUNCTION





KB03




KB01



KB02



KBP1



KBP2



KBP3



	<i>Tool Case Small</i>	<i>Tool Case Large</i>	<i>Tool Trolley</i>	<i>Accessory Box Small</i>	<i>Accessory Box Medium</i>	<i>Accessory Box Large</i>
Type	KB01	KB02	KB03	KBP1	KBP2	KBP3
Dimensions	442 x 357 x 155 mm	442 x 357 x 255 mm	554 x 480 x 611/980 mm	451x195x67 mm	451x324x67 mm	451x366x95 mm
Content	16.5 L	32 L	60 L	-	-	-
Weight	2.0 kg	2.4 kg	8.2 kg	1.15 kg	1.67 kg	2.36 kg

KTB01**KTB02****KTB03****KTB04****KEMBAG2****KP04**

	Tool Bag	Tool Bag	Tool Bag	Tool Bag	Tool Bag	Tool Pouch
	KTB-01	KTB-02	KTB-03	KTB-04	KEMBAG2	KP04
Dimensions	400 x 200 x 270 mm	300 x 170 x 220 mm	400 x 225 x 300 mm	280 x 280 x 380 mm	600 x 260 x 300 mm	-
Max. weight	12 kg	10 kg	15 kg	12 kg	20 kg	-



KEM4100110

10.8V 2.0AH



BL10803

10.8V



C10840



BL18051



BL18053A

NEW



BL18050A

KEYANG 18V SYSTEM
All 18V batteries work with all 18V machines and chargers.



BL14415



C18046



C18046A



Our story

Even if you have never worked with Keyang power tools before, chances are you have been using our technology for years. Our roots lie in the development and production of electric motors and electronic components for numerous renowned automobile manufacturers worldwide. For example, we currently produce 30 million DC/BLDC motors per year for over 30 well-known car manufacturers. Overlapping technologies and opportunities in the domestic market made the start of our own power tool division an ambitious, yet logical step.

Therefore, 45 years ago, in 1977, we started the production of Keyang Powertools in Ansan, South Korea. This endeavor has now grown into a substantial part of the organisation. With our position as market leader on the Korean market as the starting point, we work hard every day to bring Keyang to Europe and America. To this end, we form partnerships with local players so that trusted quality always goes hand in hand with excellent service. So, whether you are just learning about Keyang or have been a loyal fan for years, we appreciate your trust and are ready to provide you with prompt and honest service and a steadily growing range of quality machines.

JOIN THE CREW



@keyangtools



kemeurope



kem-europe

KEYANG

www.keyangtools.com

Keyang has a manufactureres warranty of three years.
Listed prices are recommended sales prices in Euro excluding VAT.

Subject to modifications. No liability can be accepted for errors or misprints.
Keyang Powertools are distributed by KEM Europe BV, Netherlands.

KEM
EUROPE